

Index

Symbols

2,4-D..... 3-33, 3-34, 3-36, 3-37, 3-39, 5-16, 5-24, 5-26,
5-27, 5-30, 5-31
2,4-DP 5-17

A

Abelia 4-32, 4-87
Abies (Fir) 4-7, 4-15
Acephate 1-25
Acetic acid (vinegar) 5-14
Active ingredient 1-8, 1-13
Adelgids 4-37
 Hemlock woolly adelgid 4-37
 Hickory leafstem gall aphid 4-37
 Pine bark adelgid 4-37
Adiantum 4-66
Aerosol sprays 6-3, 6-13
African daisy 4-2
Ageratum 4-2, 4-32
Ajuga 4-82
Alder 4-32
Alternaria leaf spot 2-29, 2-30, 4-2, 4-3, 4-10
Althea (Hibiscus) 4-32
Aluminum plant 4-66, 4-74
Alyssum 4-82
Amelanchier (Serviceberry) 4-85, 4-86
Ammoniated soap of fatty acid 5-14
Amphibian 8-1
Andromeda 4-31, 4-32
Anemone 4-2
Angular leaf spot 2-30
Anilazine 1-36
Annual Bluegrass 4-88, 4-89, 4-91
Annual grasses 3-29, 3-30, 3-33, 4-79
Anthracnose 2-29, 2-30, 2-31, 3-6, 3-7, 3-17, 3-23, 4-2,
4-3, 4-4, 4-6, 4-10, 4-14, 4-19, 4-20, 4-23, 4-27
 Kabatiella anthracnose 4-22
Anthurium 4-66
Ants 4-34, 5-7, 6-10
 Outdoor ants 6-2
 Red Imported Fire Ants 6-3, 6-16
Aphid 2-7, 2-8, 2-9, 2-29
Aphidlions 4-70
Aphids 3-3, 3-8, 3-10, 3-11, 3-21, 4-29, 4-32, 4-33, 4-34,

4-38, 4-66, 4-70, 4-71, 4-72, 4-75
 Green aphid 3-11, 3-16
 Strawberry root aphid 3-21
Apple 3-1, 3-6, 3-8, 3-9, 3-10, 3-11, 3-15, 3-35
Apple (*Malus* spp.) 8-8
Apple maggot 3-11, 3-12
Apple rots 3-12
Apple rust 3-2, 3-6, 3-8
Arborvitae (*Thuja*) 4-4, 4-32, 4-83, 4-84
Arborvitae (American), *Thuja occidentalis* 8-8
Armillaria root rot 4-4, 4-5, 4-6
Armyworms 4-75, 5-5
Artemisia (Wild chrysanthemum) 4-88, 4-90, 4-91
Artemisia (Dusty miller) 4-2
Asclepias tuberosa (Butterfly weed) 4-2
Ash (*Fraxinus*) 4-4, 4-14, 4-32, 4-85
Asian lady beetles 6-11
Asiatic garden beetle 4-34
Asparagus 2-7, 2-29
Asparagus Beetle 2-7, 2-8
Asparagus ferns 4-66
Assassin bug 2-4
Aster 4-2, 4-32, 4-79, 4-82
Astilbe 4-2
Atlantic white cedar (*Chamaecyparis thyoides*) 8-8
Atrazine 5-17
Aucuba 4-4, 4-32, 4-83, 4-84
Autumn olive (*Elaeagnus*) 4-4
Azadirachtin 4-39, 4-40, 4-42, 4-43, 4-44, 4-45, 4-46,
4-48, 4-49, 4-50, 4-52, 4-53, 4-57, 4-61, 4-62, 4-69
Azalea 4-31, 4-32, 4-35, 4-84
Azalea (*Rhododendron*) 4-4
Azalea (Evergreen, pinxterbloom) 8-8
Azoxystrobin 4-19

B

Baby's breath (*Gypsophila*) 4-2
Bacillus 4-66, 4-69
Bacillus popilliae 5-9
Bacillus thuringiensis 1-25
Bacillus thuringiensis (Bt) 4-44, 4-48, 4-50, 4-62, 4-69
Bacillus thuringiensis 2-3
Bacillus thuringiensis galleriae 5-9
Bacterial blight 2-29, 2-30

10-2 Index

- Bacterial brown spot 4-3
Bacterial leaf spot 4-10
Bacterial Scorch (*Xylella*) 4-20, 4-23, 4-27
Bacterial spot 2-31
Bacterial wetwood 4-4, 4-18, 4-20, 4-21
Bacterial wilt 2-31
Bagworm 1-9, 4-33, 4-34, 4-38, 4-69
Bagworms 2-3
Baits 6-3, 6-10, 6-16
Balloon flower (*Platycodon*) 4-2
Balsam fir 4-32
Bamboo 4-4, 4-77, 4-80, 4-82, 4-91
Barberry (*Berberis*) 4-4, 4-32, 4-83, 4-84
Barberry (*Berberis* spp.) 8-7
Barnyardgrass 3-29, 3-30, 3-33
Basil 4-2
Bat bugs 6-9, 6-11
Bat guano 6-9
Bats 8-3, 8-5
Bayberry (*Myrica*) 4-4, 4-32, 4-83, 4-84
Bay laurel (*Laurus nobilis*) 4-4
Bean Beetle Parasite (*Pediobius foveolatus*) 2-4
Beans 2-7
 Lima beans 2-29, 2-34
 Snap beans 2-34
Bear 8-3
Bearberry (*Arctostaphylos*) 4-4
Beautybush (*Kolkwitzia amabilis*) 8-7
Beauveria bassiana 2-3, 4-39, 4-62, 4-69, 5-7, 5-9
Beaver 8-2, 8-5
Bed bugs 6-9, 6-11
Bedding plants 4-2
Bedstraw 5-28
Bee 1-25
Beech (*Fagus*) 4-4, 4-14, 4-15, 4-31, 4-32, 4-36, 4-66, 4-85
Beech (European), *Fagus sylvatica* 8-7
Bee Poisoning 1-30
Bees 2-26
Beetle
 Ash bark beetle 4-39
 Asian lady beetle 6-11
 Asiatic garden beetle 4-34
 Bark beetle 4-32, 4-33, 4-34, 4-38
 Black lady beetle 4-37
 Carpet beetle 6-12
 Chinese lady beetles 4-37
 Colorado potato beetle 2-3
 Elm bark beetle 4-39
 Elm leaf beetle 4-69
 Flea beetle 4-45
 Flour beetle 6-15
 Fruit tree bark beetles 4-39
 Fuller rose beetle 4-33
 Grain beetle 6-15
 Hot-hole borer 4-39
 Japanese beetle 4-32, 4-33, 4-34, 4-46
 Lady beetle 4-56, 4-58, 4-69, 4-70
 Lady beetles 2-5
 Ladybird beetle 4-56
 Leaf beetle 4-44, 4-69
 Long-horned beetle 6-15
 Pine bark beetle 4-39
 Potato beetle 4-69
 Tooth-necked fungus beetle 4-37
 Willow leaf beetle 4-47
Beets 2-7, 2-29
Begonia 4-2, 4-32, 4-82
Belly rot 2-30
Benefin 5-17, 5-22
Benomyl 1-36
Bentazon 5-17, 5-31
Bergenia 4-2
Bermudagrass 2-33, 2-34, 3-27, 3-33, 3-35, 3-36, 3-37, 4-77, 4-80, 4-88, 4-89, 4-91, 5-1, 5-12, 5-13, 5-23, 5-30, 5-32
Berry midge 4-33
Betula (Birch) 4-15
Bifenthrin 6-2
Big-eyed bug 2-4
Binapaeryl 1-36
Bindweed 5-28
Birch 8-7
Birch (*Betula*) 4-4, 4-14, 4-31, 4-32, 4-85
Biting flies 7-2, 7-4, 7-5
Bittercress 4-88, 4-90, 4-91, 5-16, 5-17, 5-28
Bitter pit 3-2, 3-11, 3-12
Bittersweet 4-32
Blackberry 3-23, 3-27, 3-37
Blackberry psyllid 3-24
Blackbirds 8-6
Black canker 4-27
Black cutworm 5-5, 5-7
Black-eyed peas 2-34
Black-eyed Susan (*Rudbeckia*) 4-2
Black gum (*Nyssa sylvatica*) 4-4, 4-14
Black knot 3-7, 3-14, 3-16
Black leg 2-29
Black medic 5-28
Black nightshade 3-29, 3-31, 3-33

- Black root rot 4-9
- Black rot 2-29, 3-6, 3-7, 3-9, 3-17
- Black spot (rose) 4-10
- Blanket flower (*Gaillardia*) 4-2
- Bleeding canker 4-26
- Blight
- Bacterial blight 2-30
 - Blossom blight 3-10, 3-14, 3-16
 - Botrytis leaf blight 2-30
 - Cane blight 3-24
 - Early blight 2-30, 2-31
 - Late blight 2-30, 2-31
 - Leaf blight 2-30, 2-31
 - Phomopsis twig blight 3-22, 3-23
 - Phytophthora blight 2-31
 - Southern blight 2-31
 - Spur blight 3-9, 3-24
 - Twig blight 3-9, 3-22, 3-23
- Blister beetle 2-8, 2-22
- Bluebeard (*Caryopteris*) 4-4
- Blueberry 3-22, 3-23, 3-27
- Blueberry maggot 3-23
- Blueberry tip borer 3-23
- Bluegrass 5-25
- Annual bluegrass 5-25
 - Kentucky bluegrass 5-1, 5-11, 5-12, 5-30
- Blue spruce 4-66
- Borer 4-40, 4-41, 4-42
- Ambrosia beetles 4-35
 - Ash borer 4-35, 4-41
 - Azalea stem borer 4-35, 4-40
 - Banded ash borer 4-40
 - Bronze birch borer 4-35, 4-40
 - Dogwood borer 4-35, 4-40
 - Dogwood twig borer 4-35
 - Emerald ash borer 4-35, 4-41
 - Iris borer 4-33, 4-35, 4-48
 - Lilac borer 4-35, 4-41
 - Locust borer 4-35, 4-41
 - Mottled willow (poplar and willow) borer 4-35, 4-41
 - Oak borer 4-41
 - Peach tree borer 4-35, 4-42
 - Rhododendron borer 4-35, 4-42
 - Round-headed and flat-headed tree borer 4-35, 4-42
 - Two-lined chestnut borer 4-35, 4-42
 - Willow borer 4-35
- Borer(s) 3-24
- Blueberry tip borer 3-23
 - Grape root borer 3-2, 3-19
 - Lesser Peachtree borer 3-15, 3-16
 - Peachtree borer 3-15, 3-16
- Boric acid powder 6-13
- Boron 3-10, 3-11, 3-12, 3-13
- Boron deficiency 3-11, 3-12, 3-13
- Boston ivy (*Parthenocissus*) 4-4, 4-31, 4-36, 4-66, 4-74
- Botanical insecticide 2-3
- Botanical insecticides 4-69
- Botryosphaeria dieback 4-4, 4-5, 4-6
- Botryosphaeria dieback canker 4-3, 4-5, 4-26
- Botryosphaeria Rot 3-9
- Botrytis blight 4-3, 4-9
- Botrytis Bunch Rot 3-7, 3-17
- Botrytis vine rot 2-30
- Boxelder bug 4-43
- Boxelder bugs 6-12
- Boxwood (*Buxus*) 4-4, 4-32, 4-84
- Boxwood blight 4-9
- Boxwood (Common), *Buxus sempervirens* 8-7
- Brambles (*Rubus* spp.) 3-30, 3-32, 3-34
- Broadleaf evergreen 4-83, 4-84
- Broadleaf weeds 2-33, 2-34, 3-29, 3-31, 3-33, 3-34, 4-77, 4-79, 4-81, 4-88, 4-89, 4-90
- Broad mite 4-32
- Broccoli 2-34
- Brooks fruit spot 3-10
- Brown-headed cowbirds 8-1, 8-3
- Brown marmorated stink bug 3-17
- Brown marmorated stink bugs 6-12
- Brown patch 5-1, 5-2
- Brown rot 3-7, 4-15
- Brussels sprout 2-29
- Buckeye (*Aesculus*) 4-4, 4-14, 4-32
- Budbreak 4-80
- Bud moth 4-33, 4-34
- Budworm 4-33, 4-34
- Bugleweed (*Ajuga*) 4-2
- Bugs
- Bat bugs 6-11
 - Bed bug 6-11
 - Boxelder bugs 6-12
 - Sowbugs 6-16
- Bulb
- Bulb flies 4-33
 - Bulb mites 4-33
- Burning bush (*Euonymus alatus*) 8-8
- Butrizol 1-36
- Buttercup 5-16, 5-17, 5-28
- Buttercup (*Ranunculus*) 4-2
- Butternut 4-32, 4-36, 4-66
- Buttonbush 4-32
- Buttonweed 5-25, 5-28
- Buxus* (Boxwood) 4-15

C

- Cabbage.....2-7, 2-29
 Cabbage looper2-7, 2-8, 2-14
 Cabbage root maggot 2-7
 Cabbageworm, imported..... 2-7
 Cactus.....4-2, 4-32
 Caladium 4-2
Calibrachoa (Million bells) 4-2
 Camellia 4-4, 4-32, 4-53, 4-83, 4-84
Campanula (Bellflower) 4-2
 Canada geese8-3, 8-6
 Canada thistle.....3-30, 3-31, 3-34, 4-88, 4-90, 4-91
 Canarygrass (*Phalaris*) 4-2
 Candytuft (*Iberis*) 4-2
 Cane blight 3-23, 3-24
 Canker4-14, 4-15, 4-26
 Cankerworms 4-44
 Canna lily (*Canna*)..... 4-2
 Cantaloupe 2-34
 Captafol 1-36
 Captan..... 1-36, 2-28, 2-29, 2-30, 3-6, 3-7, 3-12, 3-16, 3-18, 3-20, 3-22
 Carbaryl..... 1-25, 4-31, 4-36, 4-37, 4-39, 4-40, 4-48, 4-49, 4-53, 4-55, 4-56, 4-61, 4-62, 4-66, 6-2
 Carfentrazone5-17, 5-26, 5-32
 Carolina allspice (*Calycanthus floridus*) 8-7
 Carpenter bees..... 6-7
 Carpet beetles..... 6-12
 Carpetweed 3-29, 3-31, 3-33, 4-88, 4-90, 4-91, 5-28
Carpinus (Ironwood) 4-15
 Carrot 5-28
 Carrots.....2-7, 2-29, 2-34
 Case bearers 4-32
Castanea (Chestnut) 4-15
 Catalpa4-4, 4-15, 4-32
 Caterpillar 4-44
 Buck moth caterpillar 4-44
 Eastern tent caterpillar..... 4-44
 Tent caterpillar.....4-32, 4-33
 Caterpillar looper 2-7
 Caterpillars 1-9, 2-3
 Cats 7-3, 7-4
 Catsear dandelion..... 5-28
 Cauliflower 2-29
Ceanothus (red-root)..... 4-15
 Cedar (*Cedrus*)..... 4-4, 4-32, 4-83, 4-84
 Cedar-apple rust 4-16
 Cedar-quince rust 4-21
 Cedar rust 3-10
Cedrus (Cedar)..... 4-83
 Celery 2-30
Celtis (Hackberry)..... 4-15
 Cenangium dieback..... 4-6
 Centipede grass 5-12
 Century plant (Agave)..... 4-2
Cercidiphyllum japonicum (Katsura tree)..... 4-15
 Cercospora 2-29, 2-30, 2-31
 Cercospora blight 4-20
 Cercospora leaf spot..... 4-3, 4-5, 4-6, 4-10, 4-22
Cereus (*Epiphyllum*) 4-2
Chamaecyparis 4-32, 4-84
 Cheat 3-29, 3-30, 3-33, 4-88, 4-89, 4-91
 Chemical control 1-1, 1-6
 Chemical emergencies 1-16
 Chemical-resistant gloves 1-9, 1-15
 Chemical spill kit 1-17
 Chemical splash-proof goggles 1-14
 Cherry 3-6, 3-14, 3-16
 Cherry (*Prunus*) 4-15
 Cherry fruit worm 3-22
 Cherry (Japanese flowering), *Prunus serrulata* 8-7
 Cherry laurel (*Prunus laurocerasus*) 4-4, 4-15, 4-32, 4-85
 Cherry leaf spot..... 4-15
 Cherry (Plum), *Prunus* spp..... 8-8
 Chestnut (*Castanea*) 4-15, 4-32
 Chestnut blight 4-15
 Chewable tablets 7-2
 Chickory 3-34
 Chickweed..... 2-33, 4-88, 4-90, 4-91, 5-16, 5-17, 5-19, 5-28
 Chickweed, common..... 3-27, 3-29, 3-31, 3-33
 Chicory..... 5-28
 Chiggers 6-2
 China Aster..... 4-32
 Chinch bugs 5-5, 5-7
 Chinese juniper (*Juniperus chinensis*)..... 4-16
 Chipmunk..... 8-5
 Chlorosis 4-23
 Chlorosis (yellowing)..... 3-10
 Chlorothalonil 1-25, 1-36, 2-28, 3-6, 4-15, 4-19, 4-24
 Chokeberry (*Aronia*) 4-4, 4-32
 Chrysanthemum (*Chrysanthemum* spp.)..... 8-7
 Chrysanthemum (*Dendranthema*) 4-2, 4-82
 Cicadas 4-43
 Cinnamon bark..... 5-14
 Cinnamon oil..... 5-14
 Cinquefoil 4-4, 5-28

- Cissus 4-66
 Citric acid 5-14
 Citrus 4-32
 Citrus oil 5-15
 Clematis 4-4, 4-82
 Clematis (*Clematis* spp.) 8-8
 Cleyera 4-4
 Climbing cutworms 4-34, 4-43
 Clothes moths 6-12
 Clothianidin 4-64, 4-65
 Clove oil 5-15
 Clover 2-29, 5-28
 Club root 2-29
 Cluster flies 6-13
 Cockcomb (*Celosia*) 4-2
 Cockroaches 6-13
 Code of Federal Regulations (CFR) 8-1, 8-3
 Codling moth 3-11
 Coleus 4-2, 4-82
 Collard 2-29, 2-34
 Collars 7-2
 Colletotrichum leaf spot 4-4
 Colletotrichum stem canker 4-3
 Collies 7-4
 Colorado potato beetle 2-3, 2-7, 2-8, 2-18
 Columbine 4-2
 Common Grackles 8-1
 Coneflower (*Echinacea*) 4-4
 Cool-season grasses 5-1, 5-11
 Copper 2-28, 2-29, 2-30, 2-31, 3-4, 3-12, 3-13, 3-18, 3-24, 4-64
 Copper oxides 1-36
 Copper oxychloride sulfate 1-36
 Copper sulfate 1-25, 1-36
 Copper sulfate 3-18, 3-24
 Coral bells (*Heuchera*) 4-2
 Core aeration 5-12
 Corking 3-10
 Corn earworm 2-7, 2-8, 2-10, 4-33, 4-34
 Corn gluten 5-14, 5-15
 Corn sap beetle 2-8, 2-21
 Cotoneaster 4-4, 4-32, 4-86, 4-87
 Cowpea curculio 2-7, 2-18
 Coyotes 8-2, 8-5
 Crabapple (*Malus*) 4-4, 4-15, 4-16, 4-17, 4-85
 Crabgrass 2-34, 3-29, 3-30, 4-80, 4-88, 4-89, 4-91, 5-14, 5-21, 5-23, 5-25
 Cranberry fruit worm 3-22
 Crape myrtle (*Lagerstroemia*) 4-4, 4-32, 4-86, 4-87
 Crickets 6-13
 Crimson Crisp 3-2
 Crown gall 4-2, 4-3, 4-5, 4-6, 4-10
 Crows 8-6
Cryptomeria 4-84
 Cucumber 2-30, 2-34
 Cucumber beetle 2-7, 2-16
 Cucurbits 2-7, 2-30
 Cupric hydroxide 1-36
 Curculio 3-11, 3-15
 Curl thistle 3-30, 3-32, 3-34
 Curly dock 5-17
 Curvularia leaf blight 4-2, 4-10
 Cutworms 2-8, 2-24, 4-34, 4-43, 4-71, 4-72, 5-5, 5-7
 Cyclamen mite 3-20
 Cyclamen mites 4-2, 4-32, 4-33, 4-34, 4-71, 4-75
 Cylindrocladium leaf spot 4-10
 Cylindrocladium root rot 4-9
 Cypress (*Cupressus*) 4-4, 4-32, 4-83, 4-84
 Cytospora canker 4-5, 4-23, 4-26
- ## D
- Daffodil (*Narcissus* spp.) 4-33, 4-82, 8-7
 Dahlia 4-2, 4-32, 4-82
 Daisy 5-28
 Daisy (*Chrysanthemum*) 4-2
 Dallisgrass 3-29, 3-31, 5-30
 Damsel bug 2-4
 Dandelion 1-1, 3-27, 3-30, 3-31, 3-34, 4-88, 4-90, 4-91, 5-13, 5-16, 5-17, 5-28
 Daphne 4-4
 Dawn redwood (*Metasequoia*) 4-4, 4-85, 4-86
 Daylilly 4-10
 Daylily 4-2, 4-82
 Daylily (*Hemerocallis* spp.) 8-8
 Dayton 3-2
 Dazomet 1-36
 Dead arm (Phomopsis blight) 3-18
 Deadnettle (Henbit) 4-88, 4-90, 4-91
 Dead spot, spring 5-1, 5-2
 Decontaminating sprayers 1-23
 Deer 8-3, 8-5, 8-7
 Defoliators 4-29, 4-44, 4-45, 4-46
 Delicious 3-2, 3-8
 Delphinium 4-32
 Deutzia 4-32, 4-86, 4-87
 Diatomaceous earth 2-3, 4-69, 7-1
 Diazinon 4-73

10-6 Index

- Dicamba 5-17, 5-24, 5-26, 5-28, 5-30
Dichlobenil 3-29, 3-30, 3-35, 3-36, 3-37, 4-79
Dichlone 1-36
Dichondra 5-28
Dimethoate 4-31
Diplodia stem rot 4-3
Diplodia tip blight 4-9, 4-24
Dips 7-2
Diquat 5-18
Discula anthracnose 4-5, 4-19
Diseases 2-25, 2-29, 2-30, 2-31, 3-1, 3-2, 3-5, 3-8, 3-9,
3-18, 3-22, 3-23, 5-1, 5-2
Dithiopyr 5-18, 5-22, 5-26
DMA 5-17, 5-19
Dock 2-34, 4-79, 4-88, 4-90, 4-91, 5-17, 5-28
Docks 3-34
Dodder 4-88, 4-90, 4-91
Dodine 1-36
Dogbane, hemp 3-30, 3-32, 3-34
Dogfennel 4-79, 4-88, 4-90, 4-91, 5-28
Dogs 7-1, 7-2, 7-3, 7-4
Dogwood 8-7
 Flowering (*Cornus florida*) 8-7
 Kousa, *C. sericea* 8-7
 Red osier (*C. kousa*) 8-7
Dogwood (*Cornus*) 4-4, 4-15, 4-18, 4-19, 4-32, 4-85
Dogwood (Cornelian), *Cornus mas* 8-8
Dormant oil 3-8, 4-37
Dothiorella canker 4-4, 4-18
Dothistroma Needle Blight 4-25
Douglas fir (*Pseudotsuga*) 4-4, 4-20, 4-31, 4-36, 4-66
Dove tree (*Davidia*) 4-4
Downy mildew 2-29, 2-30, 3-7, 3-17, 3-18, 4-2, 4-3, 4-9
Dracaena 4-4
Drain flies 6-14
Drechslera poae (melting-out) 5-2
Drooping leucothoe 8-7
Drooping leucothoe (*Leucothoe*) 4-4
Drosophilid fruit flies 3-21
Drought stress 5-1
Dusts 7-1
Dutch elm disease (DED) 4-21
- E**
- Ear drops 7-5
Early blight 2-30
Ear mites 7-5
Earthworms 1-12
- Earwig 6-14
Eastern gall rust 4-6
Eastern Red Cedar 4-20
Eastern red cedar (*Juniperus virginiana*) 4-4
Eclipta 4-88, 4-90, 4-91
Edifenphos 1-36
Eggplant 2-7
Elaeagnus 4-31, 4-32
Elm (*Ulmus*) 4-4, 4-20, 4-21, 4-32, 4-85
Elm leaf beetle 4-69
Elm spanworms 4-67
Endangered animals 8-4
Endothia canker 4-23
English ivy (*Hedera helix*) 4-4, 4-66, 4-74, 4-77, 4-82
Enkianthus (Redvein), *Enkianthus campanulatus* 8-7
Enterprise 3-2
Entomosporium leaf spot 4-5, 4-6, 4-10
Environmental considerations 1-11
Erineum mite 4-32
Esfenvalerate 3-24
Ethanoic acid 5-15
Eucalyptus 4-5
Euonymus 4-5, 4-32
Euonymus leaf notcher 4-45
European corn borer 2-7, 2-8, 2-19
European elm scale 4-35
European hornet 4-33, 4-47
European Mountain Ash (*Sorbus aucuparia*) 4-15
European starlings 8-4, 8-6
- F**
- Fairy ring 5-2
Fall armyworm 2-8, 2-22
Fall panicum 3-29, 3-30, 3-33, 4-88, 4-89, 4-91
Fall webworm 4-62
Falsecypress (*Chamaecyparis*) 4-5
Fatsia 4-5
Felt Fungus 4-14
Fenaminosulf 1-36
Fenoxaprop 5-18, 5-24
Fentin hydroxide 1-36
Ferbam 1-36
Ferns 4-31, 4-32, 4-36, 4-66
 Boston 4-66, 4-74
Ferns (*Phylum Pteridophyta*) 8-7
Fescue(s) 3-27
Ficus carica (Fig) 4-15
Field peas 2-34

- Fig (*Ficus*)..... 4-5
 Filaree4-88, 4-90, 4-91
 Filbert (*Corylus*) 4-5, 4-10
 Filbert Blight (Eastern) 4-21
 Fir (*Abies*) 4-5, 4-7, 4-33, 4-84
 Fir (Balsam, fraser), *Abies balsamea*, *A. faseri* 8-8
 Fire ant 4-47
 Fireants..... 2-3
 Fire blight 4-5, 4-10, 4-17, 4-24
 Fire blight (*Erwinia amylovora*).... 3-2, 3-9, 3-10, 3-12, 3-13
 Firethorn (*Pyracantha*) 4-5, 4-15, 4-84, 4-85
 Fish..... 1-1, 1-5, 1-9, 1-12
 Flea..... 1-2
 Fleabane, annual3-29, 3-31, 3-33
 Flea beetles..... 2-7, 2-8, 2-12, 2-31
 Fleahopper.....4-33, 4-34
 Fleas 6-14, 7-1, 7-2, 7-4, 7-5
 Flies 6-15
 Black flies 6-2
 Blood-feeding flies 6-2
 Cluster flies 6-13
 Deer flies 6-2
 Drain flies 6-14
 Flour beetle 6-15
 Flowering apricot/cherry/peach/plum (*Prunus*)..... 4-5
 Flowering fruits.....4-33
 Flowering pear (*Pyrus calleryana*) 4-5
 Flowering quince4-86, 4-87
 Flower/petal blight 4-10
 Fluazifop4-80, 5-18, 5-24
 Fluazifop-P-Butyl3-33, 3-34, 3-35, 3-36, 3-37, 3-38
 Flying squirrels, southern 8-5
 Fly speck 3-2, 3-7, 3-9, 3-10
 Foliar nematodes4-3, 4-4
 Forget-me-not..... 4-82
 Forget-me-not (*Myosotis*) 4-2
 Forsythia 4-5, 4-33, 4-86, 4-87
 Forsythia 8-7
 Four-o'clock..... 4-82
 Foxes 8-2, 8-5
 Foxglove (*Digitalis*)..... 4-2
 Foxtails..... 3-29, 3-30, 3-33, 4-89, 4-91
 Frightening devices 8-5, 8-6
 Fringe tree (*Chionanthus*)..... 4-5
 Frog-eye leaf spot..... 3-9, 3-10
 Fruit moths 4-33
 Fruit rot 2-30, 2-31, 3-14, 3-20, 3-23, 3-24
 Fruitworm 2-8
 Fuller rose beetles 4-33
 Fungi 4-1
 Fungicide.....3-1, 3-2, 3-6, 3-9, 3-12, 3-13, 3-15, 3-16, 3-18, 3-19, 3-20, 3-21, 3-22, 3-23, 3-24, 3-25, 4-30
 Fungicides 1-25
 Fungus3-6, 3-8, 3-9, 3-14, 3-16, 3-17, 3-21, 3-22, 3-23
 Fungus Gnat 2-7
 Fungus gnats4-69, 4-71, 4-75
 Furbearing 8-2
 Fusarium
 Basal rot..... 4-3
 Crown rot.....4-2, 4-3
 Root rot.....4-2, 4-3
 Stem rot4-2, 4-3
 Wilt4-2, 4-3, 4-5
- ## G
- Galinsoga* (quickweed).....4-88, 4-90, 4-91
 Gall..... 4-27
 Gall aphids..... 4-33, 4-34
 Gall insects 4-29, 4-32, 4-33, 4-34
 Gall midges 4-33
 Gall mites4-32, 4-33, 4-34
 Leaf/flower gall 4-10
 Gall insects.....4-29, 4-32, 4-33, 4-34, 4-48
 Gall(s) 3-20, 3-25
 Ganoderma root rot 4-5
 Gardenia 4-5, 4-33
 Garlic, wild5-16, 5-17, 5-28
 Gayfeather (*Liatris*) 4-2
 Geranium..... 5-28
 Geranium (*Pelargonium*) 4-2, 4-33, 4-82
 Germander (*Teucrium*)..... 4-5
 Giant hornet 4-32, 4-34
 Ginkgo biloba (Maidenhair tree) 4-15, 4-33, 4-85, 4-86
 Gladiolus 4-2, 4-33, 4-82
Gleditsia (Honeylocust)..... 4-15
 Globe amaranth (*Gomphrena*) 4-2
Gloxinia 4-66
 Glufosinate 3-33, 3-34, 3-35, 3-36, 3-37, 3-38, 4-80
 Glyodin 1-36
 Glyphosate 1-25, 3-33, 3-34, 3-35, 3-36, 3-37, 3-38, 4-78, 4-80, 5-18, 5-30, 5-32
 Gnatrol 4-69, 4-75
 Gnomonia leaf spot 4-10
 Goldenchain tree 4-85, 4-86
 Goldenrain tree.....4-85, 4-86
 Goldenrod 3-30, 3-32, 3-34
 Goldenrod (*Solidago*) 4-2
 Goldenstar (*Chrysogonum*)..... 4-2
 GoldRush 3-2

10-8 Index

- Goosegrass3-29, 3-30, 3-33, 4-88, 4-89, 4-91
Goutweed (*Aegopodium*) 4-2
Grain beetle 6-15
Grape berry moth 3-19
Grape flea beetle 3-18, 3-20
Grape Phylloxera 3-20
Grape root borer 3-2, 3-19
Grapes 3-2, 3-6, 3-8, 3-17
Grape tomato gall 3-20
Grass
 Bermudagrass5-1, 5-12, 5-13, 5-23, 5-30, 5-32
 Centipedegrass..... 5-12
 Crabgrass..... 5-13, 5-14, 5-17, 5-18, 5-20, 5-21, 5-22,
 5-23, 5-24, 5-25, 5-26, 5-30, 5-32
 Dallisgrass 5-30
 Goosegrass 5-13, 5-19, 5-22, 5-23, 5-30
 Orchardgrass..... 5-30
 Quackgrass 5-30
 Ryegrass 5-11, 5-12, 5-13
 St. Augustinegrass 5-12
Grasshopper 2-7, 2-8
Grasshoppers 2-7, 2-9, 4-45
Gray leaf spot (*Pyricularia grisea*) 5-2
Gray mold 2-29
Green aphids 3-11, 3-16
Greenbriar, common 3-30, 3-32, 3-34
Green fruitworms 3-12, 3-13
Green lacewing larvae 2-5
Grimes golden 3-11
Groundhogs 8-2, 8-5
Ground ivy 3-30, 3-32, 3-34, 5-17, 5-25, 5-28
Groundsel, common 4-88, 4-90, 4-91
Ground water 1-11
Grubs 3-15, 3-20, 3-22, 4-70
Gulls 8-6
Gypsy moth 3-14, 4-33, 4-46, 4-48, 4-67
- H**
- Hackberry (*Celtis*) 4-33
Hairy galinsoga 3-29, 3-31, 3-33
Halosulfuron 4-81, 5-18, 5-30
Hamamelis (Witchhazel) 4-86, 4-87
Hand atomizers 4-72
Hand misters 4-72
Harlequin bug 2-7
Hawkweed 5-28
Hawthorn (*Crataegus*) 4-5, 4-15, 4-21, 4-33, 4-85, 4-86
Hawthorne (English), *Crataegus laevigata* 8-7
Healall 5-28
Heather (*Erica*) 4-5
Heavenly bamboo (*Nandina*) 4-5
Hellebore (*Helleborus*) 4-2
Hemlock 4-33, 4-83, 4-84
Hemp dogbane 3-30, 3-32, 3-34
Henbit 3-29, 3-31, 3-33, 5-28
Henbit (deadnettle) 4-88, 4-90, 4-91
Herbicide 1-11, 1-12, 1-19, 1-23, 1-25,
 2-33, 3-27, 3-28, 3-35, 3-36, 4-82, 4-83, 4-84, 4-85, 4-86,
 5-11, 5-13, 5-14, 5-15, 5-24, 5-25, 5-26, 5-27, 5-30, 5-32
 Broadleaf herbicide 5-23, 5-25, 5-26, 5-32
Herding dogs 7-4
Herpobasidium leaf blight 4-5
Heterosporium leaf spot 4-10
Hibiscus (*Althea*) 4-5, 4-32, 4-86, 4-87
Hickory (*Carya*) 4-5, 4-21, 4-31, 4-33, 4-36, 4-66
Holly
 American (*I. glabra*) 8-7
 Chinese (*I. comuta*) 8-7
 Inkberry (*I. glabra*) 8-7
Holly (*Ilex*) 4-5, 4-15, 4-33, 4-84
 Chinese 4-31
Hollyhock (*Alcea*) 4-2
Honeybees
 Bee Poisoning 1-30
 Pesticides
 Relative nontoxic 1-35
 Toxicity 1-4, 1-7, 1-13, 1-34
 Poisoning 1-30
Honeylocust (*Gleditsia*) 4-5, 4-22, 4-33, 4-85
Honeysuckle 2-34, 4-33, 4-83, 4-86, 4-87, 5-28
Honeysuckle (*Lonicera*) 4-5
Hornbeam (*Carpinus*) 4-5
Hornet 6-16
Hornets
 European hornet 4-33
 Giant hornet 4-32, 4-34
Hornworm 2-3, 2-8
Hornworms 4-69
Horse chestnut 4-33
Horsenettle 3-30, 3-32, 3-34, 5-28
Horseweed 5-28
Horseweed (Marestail) 3-29, 3-31, 3-33, 4-88, 4-90, 4-91
Horticultural oil 4-66
Hosta 4-2, 4-82, 8-8
Hot pepper wax 2-3, 4-69
Houseplants 4-71, 4-73, 4-74
House sparrows 8-1, 8-6
Hydrangea 4-5, 4-86, 4-87, 8-8
Hydrated lime 3-18, 3-24
Hypericum 4-86, 4-87

I

| | |
|---|--|
| Ice plant (<i>Delosperma</i>) | 4-2 |
| Imazapic | 5-18 |
| Imazapyr | 5-18 |
| Imazaquin | 5-19 |
| Imidacloprid | 4-64, 4-75, 6-13 |
| Immunox | 3-2, 3-6, 3-7, 3-9, 3-16, 3-24 |
| Impatiens | 4-2, 4-82 |
| Imported cabbage worm | 2-13 |
| Incense cedar (<i>Calocedrus</i>) | 4-5 |
| Indian hawthorn (<i>Rhaphiolepis</i>) | 4-5 |
| Inkberry (<i>Ilex glabra</i>) | 4-5 |
| Insecticidal dust | 6-3, 6-16 |
| Insecticidal soap | 2-3, 4-69, 4-75 |
| Insecticide | 1-11, 1-12, 1-23, 1-25, 2-31, 4-29, 4-30, 4-31, 4-35, 4-73, 4-74, 7-1 |
| Insects. | 1-1, 1-5, 1-6, 1-9, 1-12, 2-3, 2-26, 3-1, 3-3, 3-5, 3-10, 3-11, 3-15, 3-16, 3-19, 3-20, 3-22, 3-25 |
| Integrated pest management (IPM) | 1-1, 1-5 |
| Iprodione | 1-36 |
| Iris | 4-2, 4-82 |
| Isoxaben | 4-79, 5-19, 5-26 |
| Ivy | |
| Boston ivy | 4-31, 4-33, 4-36, 4-66, 4-74 |
| English ivy | 4-33, 4-66, 4-74, 4-77, 4-82 |
| Ground ivy | 5-17, 5-25 |

J

| | |
|---|---|
| Jack-in-the-pulpit a (<i>Arisaema</i>) | 4-2 |
| Jade plant (<i>Crassula</i>) | 4-2 |
| Japanese apple rust | 4-16 |
| Japanese beetle | 2-8, 2-22, 3-3, 3-8, 3-12, 3-13, 3-16, 3-18, 3-19, 3-23, 3-24, 4-32, 4-33, 4-34 |
| Japanese black pine | 4-25 |
| Japanese cedar (<i>Cryptomeria</i>) | 4-5 |
| Japanese honeysuckle | 3-30, 3-32, 3-34 |
| Japanese maple | 4-36, 4-66 |
| Japanese photinia red-tip (<i>Photinia</i>) | 4-5 |
| Japanese pieris | 8-7 |
| Japanese pieris (<i>Pieris</i>) | 4-5 |
| Japanese stiltgrass | 4-80, 4-88 |
| Jasmine | 4-83 |
| Johnsongrass | 3-29, 3-30, 3-31, 3-33, 3-35, 3-36, 3-37, 3-38 |
| Rhizome | 3-29, 3-31, 3-33 |
| Johnsongrass (Seeding) | 4-88, 4-89, 4-91 |
| Jonafree | 3-2 |
| Jonathan | 3-2, 3-8 |
| <i>Juglans</i> spp. (walnut) | 4-15 |

| | |
|---|-----------------------|
| Juniper (<i>Juniperus</i>) | 4-5, 4-15, 4-33, 4-84 |
| Juniper (Chinese), <i>Juniperus chinensis</i> | 8-7 |

K

| | |
|---|--|
| Kabatina dieback | 4-4, 4-9 |
| Kaffir lily (<i>Clivia</i>) | 4-2 |
| Kale | 2-29 |
| Kaolin clay | 4-69 |
| Kentucky bluegrass | 5-1, 5-11, 5-12, 5-30 |
| Kerria | 8-8 |
| Knapweed | 5-28 |
| Knawel | 5-28 |
| Knotweed | 3-29, 3-31, 3-33, 4-88, 4-90, 4-91, 5-17, 5-28 |
| Kousa dogwood (<i>Cornus kousa</i>) | 4-19 |
| Kudzu | 4-80 |

L

| | |
|--|---|
| Lacebugs | 4-29, 4-32, 4-33, 4-34, 4-49, 4-69 |
| Lacewings | 4-56, 4-57, 4-59, 4-70 |
| Lady beetles | 2-5, 4-57, 4-70 |
| <i>Laetisaria fuctiformis</i> (Red Thread) | 5-2 |
| Lambsquarters | 4-79, 4-88, 4-90, 4-91, 5-28 |
| Lambsquarters, common | 3-29, 3-31, 3-33 |
| Lantana | 4-33 |
| Larch (<i>Larix</i>) | 4-22, 4-33 |
| Large patch | 5-2 |
| <i>Larix</i> (Larch) | 4-15 |
| Larkspur (<i>Consolida</i>) | 4-2 |
| Larvae | 3-2, 3-3, 3-11, 3-15, 3-19, 3-22 |
| Late blight | 2-30 |
| Laurel | 4-33, 4-84 |
| Lavender (<i>Lavandula</i>) | 4-5 |
| Lavender cotton (<i>Santolina</i>) | 4-5 |
| Leaf beetle | 4-69 |
| Leaf blight | 2-30, 2-31 |
| Leaf blister (<i>Taphrina</i>) | 4-23 |
| Leaf crumpler | 4-34 |
| Leaf curl | 3-7 |
| Leaf-footed bugs | 2-8 |
| Leafhopper | 2-7, 2-16, 4-29, 4-32, 4-33, 4-34, 4-49 |
| Leafminer | 2-7, 2-17, 4-34, 4-49 |
| Azalea leafminer | 4-49 |
| Boxwood leafminer | 4-49 |
| Holly leafminer | 4-49 |
| Oak leafminer | 4-50 |
| Leafroller | 2-21, 3-12, 3-13 |
| Leafrollers | 4-33, 4-50 |
| Leaf scorch | 4-22 |

10-10 Index

- Leaf spot.....2-29, 2-30, 2-31, 3-7, 3-9, 3-10, 3-13, 3-15, 3-16, 3-18, 3-23, 3-24, 4-2, 4-3, 4-4, 4-5, 4-6, 4-16, 4-19
 Alternaria leaf spot2-29, 2-30
 Angular leaf spot 2-30
 Black leaf spot 4-21
 Cercospora leaf spot 4-16
 Cryptocline leaf spot 4-14
 Gray leaf spot (*Pyricularia grisea*) 5-2
 Melting-out (*Drechslera poae*) 5-2
 Septoria leaf spot 2-31
 Zonate leaf spot 4-22
 Leaf streak (daylily)..... 4-10
 Leather rot 3-21
 Lecanium crawlers 4-56
 Leeks 2-30
Leptographium procerum 4-25
 Lesion.....3-8, 3-15, 3-18
 Lespedeza.....5-19, 5-25, 5-28
 Lesser Peachtree borer 3-15, 3-16
 Lettuce..... 2-7
 Leucanthemum..... 4-3
 Leucothoe..... 4-84
 Lewisia 4-3
 Leyland cypress (*Cupressocyparis*) 4-5
 Liberty 3-2
 Lice 7-1, 7-5
 Ligustrum 4-33
 Lilac (*Syringa*) 4-5, 4-33, 4-35
 Lilac (Common), *Syringa vulgaris* 8-7
 Lilies (Asiatic) 8-8
 Lily (*Lilium*).....4-3, 4-33, 4-82
 Lilyturf (*Liriope*)..... 4-3
 Lima beans 2-29, 2-34
 Lime sulfur 2-28, 3-7, 3-14
 Linden (*Tilia*) 4-5, 4-33, 4-85, 4-87
Liriope 4-83
 Lisianthus (*Eustoma*) 4-3
 Llea Beetle 2-7
 Lobelia 4-3
 Locust (*Robina*) 4-33
 Locust (Honey), *Gleditsia triacanthos* 8-7
 London planetree 4-33
 Long-horned beetle 6-15
 Loopers 4-69
 Loosestrife (*Lysimachia*) 4-3
 Lupine (*Lupinus*)..... 4-3
 Lygus bugs 4-33, 4-34
- M**
- Macrophoma leaf spot..... 4-10
 Madagascar periwinkle (*Catharanthus*) 4-3
 Maggot
 Apple maggot3-11
 Blueberry maggot 3-23
 Magnolia (Southern)...4-5, 4-22, 4-33, 4-36, 4-84, 4-85, 4-87
 Mahonia 4-84
 Maiden grass (*Miscanthus*)..... 4-3
 Malathion 1-25, 3-8, 3-24, 4-31, 4-73
 Mallow 5-29
 Mallow (*Malva*) 4-3
 Mallow, common 3-30, 3-31, 3-34
Malus spp. (apple, crabapple) 4-15
 Mammals..... 1-25
 Mancozeb 1-25, 1-36, 2-28, 3-18, 4-16, 4-19
 Maneb 1-36, 2-29
 Mange mites 7-2, 7-3
 Manzeb 1-36
 Maple (*Acer*) 4-5, 4-22, 4-33, 4-85, 4-87
 Japanese Maple..... 4-36, 4-66
 Sugar Maple 4-31, 4-36, 4-66
 Maple (Norway), *Acer platanoides* 8-9
 Marestail (Horseweed)..... 4-88, 4-90, 4-91
 Marigold..... 4-33, 4-82
 Marigold (*Tagetes*)..... 4-3
 Marigold (*Tagetes erecta*, *T.patula*) 8-8
 MCPA..... 1-25, 5-19, 5-26
 MCPP 1-25, 5-19, 5-26, 5-27, 5-30
 Mealybugs..... 1-9, 2-3, 4-31, 4-32, 4-33, 4-34, 4-50, 4-69, 4-71, 4-72, 4-75
 Mechanical control..... 1-6, 4-71, 4-72
 Mecoprop 5-19
 Mesurol 4-74, 4-75
 Metaldehyde 1-25
 Metaldehyde (bait) 4-67, 4-74, 4-75
 Methoxychlor 4-31
 Metolachlor 4-79
 Metriam 1-36
 Mexican aster (*Cosmos*)..... 4-3
 Mexican bean beetle 2-7, 2-10
Microdochium nivalis (microdochium patch)..... 5-2
 Microstegium 4-88, 4-89, 4-91
 Midge 4-32, 4-33, 4-34
 Migratory Birds..... 8-3
 Milkweed, common 3-30, 3-31, 3-34

Millipedes4-71, 4-75, 6-15
 Mimosa (*Albizia*)4-5, 4-23, 4-33
 Mimosa webworm 4-62
 Mimosa Wilt..... 4-23
 Mites..... 1-9, 3-11, 3-12, 3-13, 3-16, 3-20, 4-29, 4-30,
 4-32, 4-33, 4-34, 4-51, 4-66, 4-70, 4-71, 4-72, 4-75
 Boxwood mite 4-51
 Eriophyid mite 4-51
 Hemlock rust mite 4-51
 Honey locust mite 4-51
 Southern red mite 4-15, 4-51
 Spider mite 4-51
 Spruce mite 4-51
 Miticide4-30, 4-66, 4-74
 Moldy core 3-10
 Moles..... 8-5
 Mondo grass (*Ophiopogon*) 4-3
 Monkshood (*Aconitum*) 4-3
 Morning-glory
 Annual 3-29, 3-31
 Bigroot.....3-30, 3-32, 3-34
 Morningglory 4-92
 Morning glory (*Ipomoea*) 4-3
Morus (Mulberry) 4-15
 Mosaic 3-23
 Mosquito6-2, 6-3, 6-15
 Mosquito Larvae..... 6-3
 Mosquitoes 7-2
 Moth(s).....3-12, 3-13, 3-18
 Mountain Ash (*Sorbus*)4-23, 4-33
 Mountain ash (European), *Sorbus aucuparia* 8-9
 Mountain laurel (*Kalmia*)4-5, 4-33, 4-84
 Mowing height 5-1, 5-11
 Mugwort..... 3-30, 3-32, 3-34, 5-29
 Mulberry (*Morus*) 4-5, 4-33
 Mulch 2-29, 2-30, 2-33, 3-27, 4-77, 4-78, 6-14
 Mummies 3-14, 3-17
 Mummy-berry disease 3-22
 Mushroom 2-7
 Mushroom pests 2-18
 Muskrats 8-5
 Musk thistle.....3-30, 3-32, 3-34
 Mustard 2-34, 3-29, 3-31, 3-33, 4-88, 4-90, 4-92, 5-29
 Mustard greens..... 2-34
 Myclobutanil 3-6, 4-14, 4-15, 4-16, 4-17, 4-19, 4-22
 Mycosphaerella leaf spot 4-6, 4-10
 Mycosphaerella needle cast 4-22
 Mycosphaerella ray blight..... 4-2
Myrica cerifera 4-33
 Myrtle.....4-33, 4-86, 4-87

N

Nabam 1-36
Nandina4-33, 4-86, 4-87
 Naphthalene 6-12
 Napropamide3-29, 3-30, 3-37, 3-38, 3-39
Narcissus (Daffodil)..... 4-33
 Nasturtium..... 4-82
 Nectarine 3-6, 3-7, 3-14, 3-15, 3-16
 Nectria canker 4-5
 Needle cast diseases 4-25
 Needleminer 4-33, 4-34
 Needle rust (*Coleosporium*)..... 4-25
 Neem oil.....2-28, 4-15, 4-69
 Nematode 2-31, 4-10
 Parasitic nematodes 2-31
 Nephthytis (*Syngonium*) 4-3
Nerium oleander (Oleander)..... 4-15
 Nimblewill 3-29, 3-31, 3-33, 5-13, 5-30
 Ninebark..... 4-5
 Ninebark (*Physocarpus*)4-88, 4-90, 4-92
 Norflurazon 3-29, 3-30, 3-35, 3-36
 Nuisance species 8-2
 Nutria 8-2
 Nutsedge 2-33
Nyssa (Sourgum).....4-85, 4-87

O

Oak (*Quercus*).....4-5, 4-23, 4-24, 4-33, 4-87
 Live Oak (*Q. virginiana*) 4-15
 Oakworm..... 4-33
 Okra..... 2-7
 Oleander (*Nerium oleander*)..... 4-5
 Onion.....2-7, 2-30, 5-29
 Onion maggot..... 2-7
Ophiostoma novoulmi 4-21
 Opossums 8-2, 8-5
 Orchardgrass 3-29, 3-31, 3-33, 4-88, 5-30
 Orchardgrass, fescue 4-89, 4-91
 Orchid (*Cattleya*) 4-3
 Orchid (*Cymbidium*) 4-3
 Organic 2-4
 Organic controls 2-3
 Organic mulches 3-27
 Organophosphate 3-8
 Oriental fruit moth 3-11, 3-15
 Ornamental grass 4-3
 Ornamental grasses, Families gramineae (*Poaceae*)
 Sedges (*Juncaceae*) 8-8

10-12 Index

True grasses (*Cyperaceae*) 8-8
 Oryzalin 3-29, 3-30, 3-35, 3-36, 3-37, 3-38, 4-79, 5-19, 5-22
 Osmanthus 4-33, 4-84
 Oxadiazon 5-19, 5-22
 Oxycarboxin 1-36
 Oxyfluorfen 3-30, 3-31, 3-32, 3-35, 3-36, 3-38, 5-20
 Oxytetracycline 4-20
 Oxythioquinox 1-36

P

Pachysandra 4-3, 4-33, 4-83
 Pales weevil 4-63
 Palm 4-33
 Pampasgrass 4-83
 Pansy (*Viola*) 4-3, 4-82
 Pansy (*Viola x wittrockiana*) 8-9
 Parasitic wasps 4-70
 Parathion 1-13
 Parsleyworm 2-7, 2-15
 Paspalum 3-35, 3-36, 3-37, 3-38
 Patch
 Brown patch 5-1, 5-2
 Large patch 5-2
 Summer patch (*Magnaporthe poae*) 5-3
 Pathogen 4-1
 Pathogens 1-5, 1-6, 2-26
 Paxistima 4-6
 Pea 2-7
 Peach 3-6, 3-7, 3-14, 3-16, 3-17, 3-36, 3-37
 Peach leaf curl 3-14, 3-16, 4-5
 Peach scab 3-14, 3-16
 Peachtree borer 3-15, 3-16
 Pear 3-6, 3-8, 3-9, 3-13, 3-35
 Pear (*Pyrus*) 4-24, 4-85, 4-87
 Peas 2-30, 2-34
 Pelargonic acid 5-20
 Pendimethalin 1-25, 5-20, 5-22
 Penicillium corm rot 4-2
 Pennsylvania smartweed 3-29, 3-31, 3-33
 Pennycress 5-29
 Penoxsulam 5-20, 5-25, 5-26
 Pentachloronitrobenzene (PCNB) 2-29, 2-31
 Peony (*Paeonia*) 4-3, 4-34
 Peony (*Paeoniaceae* spp.) 8-8
 Peperomia 4-66
 Peppers 2-3, 2-30
 Hot pepper 2-3
 Pepperweed 5-29
 Perennial ryegrass 5-11, 5-12
 Perithecia 3-8

Periwinkle (*Vinca*) 4-34, 4-83
 Periwinkle (*Vinca minor*) 4-6, 4-34
 Permethrin 3-13, 4-39, 4-40, 4-41, 4-42, 4-45, 4-46, 4-48,
 4-50, 4-52, 4-57, 4-61, 4-62, 4-63, 4-64, 4-65, 4-75, 6-3
 Persian violet (*Exacum*) 4-3
 Persimmon 4-34
 Pestalotia dieback 4-5
 Pesticide 1-3, 1-4, 1-11, 1-14, 1-15, 1-16,
 1-18, 1-20, 1-22, 1-23, 1-25, 1-26, 1-27, 2-26, 2-27, 3-1,
 3-4, 3-28, 4-30, 4-31, 4-66, 4-67, 5-11, 5-14, 5-15, 5-16,
 6-2, 6-3, 6-5, 6-6, 6-10, 6-11
 Pesticide label 1-1, 1-7, 1-8, 1-11, 1-14, 1-15, 1-23
 Petunia 4-3, 4-34
 Phenoxy herbicides 1-11, 1-23, 5-18, 5-19
 Philodendron 4-66
 Phlox 4-3, 4-34, 4-82
 Phlox bug 4-34
 Phomopsis 3-18
 Phomopsis blight 3-7
 Phomopsis gall 4-5, 4-6, 4-9
 Phomopsis twig blight 3-22, 3-23
 Phosmet 4-67
Photinia 4-34, 4-86, 4-87
 Phragmites 4-81
 Phyllosticta leaf blight 4-6
 Phyllosticta leaf spot 4-4, 4-10
 Phytophthora blight 2-31
 Phytophthora root rot 4-2, 4-3, 4-4, 4-5, 4-9
 Phytotoxicity 4-1, 4-31, 4-36, 4-66, 4-71
 Pickleworm 2-7, 2-17
 Pigeons 8-4, 8-6
 Pigweed 3-29, 3-31, 3-33, 4-89, 4-90, 4-92, 5-29
 Pigweed, redroot, spiny 2-34
 Pilea 4-66
 Pincushion flower (*Scabiosa*) 4-3
 Pine 8-8
 Austrian (*Pinus nigra*) 8-8
 Mugo (*P. mugo*) 8-8
 Pitch (*P. ridgida*) 8-8
 Red (*P. sylvestris*) 8-8
 Scotch 8-8
 Pine (*Pinus*) 4-6, 4-15, 4-24, 4-25, 4-34, 4-84
 Eastern White Pine (*Pinus strobus*) 4-25
 Pine sawyer 4-42
 Pine, white 4-25
 Pine Wilt 4-25
 Pink snow mold 5-2
 Pipunculid fly 4-59
 Pirate bugs 4-57
 Pistache (*Pistacia*) 4-6
 Pittosporum 4-84, 4-85

| | | | |
|---|---|--|---|
| Plantain | 5-13, 5-16, 5-17, 5-29 | Boxwood psyllid | 4-52 |
| Broadleaf plantain | 3-30, 3-31, 3-34 | Hackberry psyllid | 4-52 |
| Buckhorn plantain | 3-30, 3-31, 3-34 | Pumpkin | 2-30 |
| Plant bugs | 4-32, 4-33, 4-34, 4-52 | Purple blotch | 2-30 |
| 4-lined plant bugs | 4-34 | Purple-eye leaf spot | 4-5, 4-10, 4-22 |
| Plant hoppers | 4-52 | Purple heart (<i>Setcreasia</i>) | 4-3 |
| Plum | 3-6, 3-11, 3-14, 3-15 | Purple nutsedge | 4-81 |
| Plum (<i>Prunus</i>) | 4-26 | Purpletop | 3-29, 3-31, 3-33, 3-35, 3-36, 3-37, 3-38 |
| Plum curculio | 3-11, 3-15 | Purslane | 3-29, 3-31, 3-33, 5-29 |
| Pod gall | 4-33 | Purslane (<i>Portulaca</i>) | 4-3, 4-89, 4-90, 4-92 |
| Poinsettia (<i>Euphorbia pulcherima</i>) | 4-3, 4-66 | Pusley, Florida | 4-89, 4-90, 4-92 |
| Poison ivy | 2-34, 3-27, 3-30, 3-32, 3-34, 4-81, 4-89, 4-90, 4-92, 5-29 | <i>Pyracantha</i> (Firethorn) | 4-34, 4-84, 4-85 |
| Poorjoe | 5-29 | Pyrazophos | 1-36 |
| Poplar (<i>Populus</i>) | 4-6, 4-26, 4-34, 4-66, 4-85, 4-87 | Pyrethrin | 2-3, 4-39, 4-46, 4-48, 4-50, 4-61, 4-62, 4-64, 4-65, 4-67, 4-69, 4-74 |
| Postemergence. | 5-16, 5-17, 5-19, 5-20, 5-21, 5-23, 5-25, 5-30 | Pyrethrum | 1-25, 2-3 |
| Potassium | 4-64, 4-65 | <i>Pyricularia grisea</i> (Gray leaf spot) | 5-2 |
| Potassium bicarbonate | 2-28, 2-30, 4-15 | Pythium blight | 4-1, 5-2 |
| Potato | 2-3, 2-7 | Pythium root rot | 4-2, 4-3, 4-4, 4-5, 4-6, 4-9 |
| Potato beetles | 4-69 | | |
| Potato leafhopper | 2-7 | Q | |
| Potato Tuberworm | 2-7, 2-20 | Quackgrass | 3-29, 3-31, 3-33, 4-77, 4-80, 4-88, 4-89, 4-91, 5-30 |
| Potentilla (<i>Potentilla fruticosa</i>) | 8-8 | Quickweed (<i>Galinsoga</i>) | 4-88, 4-90, 4-91 |
| Pothos (<i>Epipremnum</i>) | 4-6 | Quince rust | 3-2, 3-6, 3-8, 3-10 |
| Powdery mildew | 2-28, 2-29, 2-30, 3-2, 3-6, 3-7, 3-8, 3-10, 3-12, 3-13, 3-16, 3-17, 4-9, 4-19, 4-23 | Quinclorac | 5-20, 5-23, 5-24, 5-26, 5-30, 5-31 |
| Pratia | 4-3 | | |
| Predacious stink bug | 2-4 | R | |
| Predatory | 1-5 | Rabbits | 8-2, 8-5 |
| Predatory mites | 2-5, 4-58, 4-70 | Raccoons | 8-2, 8-5 |
| Predatory nematodes | 4-70 | Ragweed | 4-89, 4-90, 4-92 |
| Predatory Nematodes | 2-5 | Ragweed, common | 3-29, 3-31, 3-33 |
| Preemergence | 5-15, 5-17, 5-18, 5-19, 5-21, 5-25 | Rain lily (<i>Zephyranthes</i>) | 4-3 |
| Prevention | 1-1 | Ramorum blight | 4-24 |
| Prickly lettuce | 3-29, 3-31, 3-33, 4-89, 4-90, 4-92 | Ramorum blight (Sudden oak death) | 4-18 |
| Prickly sida | 3-29, 3-31, 3-33, 4-89, 4-90, 4-92 | Raspberry | 3-23, 3-24, 3-25, 3-27, 3-37 |
| Pristine | 3-2 | Redbud (<i>Cercis</i>) | 4-6, 4-34 |
| Privet (<i>Ligustrum</i>) | 4-6, 4-34, 4-86, 4-87 | Redbud (Eastern), <i>Cercis canadensis</i> ... | 4-26, 4-85, 4-87, 8-9 |
| Procerum root disease (White pine root decline) | 4-25 | Red cedar | 3-8, 4-20 |
| Prodiamine | 4-79, 5-20, 5-22, 5-30 | Redfree | 3-2 |
| Propiconazole | 4-15, 4-16, 4-24 | Red imported fire ants | 6-1, 6-3, 6-10 |
| Prostrate spurge | 4-89, 4-90, 4-92 | Red-ring spot | 3-23 |
| Prune | 3-6, 3-14, 3-15 | Red sorrel | 3-30, 3-32, 3-34, 4-89, 4-90, 4-92, 5-29 |
| Pruning | 3-1, 3-9, 3-15, 3-22, 3-24 | Red stele | 3-21 |
| Pseudocercospora leaf spot | 4-10 | Red thread (<i>Laetisaria fuctiformis</i>) | 5-2 |
| <i>Pseudotsuga</i> (Douglasfir) | 4-31, 4-32, 4-36, 4-66 | Redtop | 3-29, 3-31, 3-33 |
| Psyllid | 4-32, 4-33, 4-34, 4-52 | Red-winged blackbirds | 8-1, 8-3 |

10-14 Index

- Redwood (*Sequoia*)..... 4-6, 4-18
- Resmethrin 4-30, 6-2
- Rhizoctonia blight 4-9
- Rhizoctonia root rot 2-29, 4-2, 4-4, 4-5, 4-6
- Rhizoctonia stem rot 2-29, 4-2, 4-6, 4-9
- Rhizosphaera needle cast 4-26
- Rhododendron 4-34, 4-35, 4-85
- Rhododendron, *Rhododendron* spp. 8-9
- Ringer nematodes 4-5
- Robinia* (Locust) 4-33
- Rock pigeon 8-1
- Rock rose (*Helianthemum*) 4-3
- Rodents 3-27, 3-28
- Rome 3-8
- Root aphid 2-7
- Root knot 2-31
- Root knot nematode 4-2
- Root maggots 2-14
- Root weevils 3-22
- Rose (*Rosa*) 4-6, 4-34, 4-87
- Rose chafer 4-34, 4-46
- Rose (Hybrid tea), *Rosa x hybrid* 8-9
- Rosemary (*Rosmarinus*) 4-6
- Rose of Sharon 4-6, 8-9
- Rose-of-Sharon 8-9
- Rose-of-Sharon (*Hibiscus syriacus*) 4-6
- Rose slugs 4-46, 4-52
- Rot
- Birds-eye rot 3-17
 - Bitter rot 3-9, 3-10
 - Black rot 3-6, 3-9, 3-10, 3-17, 3-18
 - Botryosphaeria rot 3-9
 - Brown rot 3-6, 3-7, 3-14, 3-16
 - Fruit rot 3-14, 3-20, 3-23, 3-24
 - Leather rot 3-21
 - Root 3-23
 - White rot 3-9, 3-10
- Rotenone 4-64, 4-65
- Rove beetle 2-7
- Rubus* (Brambles) 3-30, 3-32, 3-34
- Russian arborvitae (*Microbiota decussata*) 4-6
- Russian olive 4-85, 4-87
- Russian olive, *Elaeagnus angustifolia* 8-8
- Rust. 2-29, 2-31, 3-7, 4-2, 4-3, 4-5, 4-6, 4-9, 4-14, 4-16, 4-21, 4-25, 5-2
- Apple rust 3-2, 3-6, 3-9, 3-10
 - Cedar rust 3-8
 - Quince rust 3-2, 3-6, 3-9
- Rust mite 4-33, 4-34
- Ryegrass 5-11, 5-12, 5-13
- Perennial Ryegrass 5-11, 5-12
- S**
- Salvia* 4-3, 4-66, 4-82
- Sanitation 1-6, 5-1
- San Jose scale 3-14, 3-15
- Santolina* 4-83
- Sassafras 4-34
- Sassafras (Common), *Sassafras albidum* 8-8
- Sawflies 4-32, 4-33, 4-34, 4-44, 4-46, 4-52, 4-59
- Scab 3-7, 3-10, 4-10, 4-17
- Apple scab 3-6, 3-8
 - Peach scab 3-14, 3-16
- Scab-resistant 3-2
- Scale 3-8, 3-12, 3-13, 3-14, 3-15, 3-16, 3-22
- Armored scale 4-70
 - Azalea bark scale 4-35
 - Brown soft scale 4-35
 - Calico scale 4-35
 - Camellia scale 4-35
 - Cottony camellia scale 4-35
 - Cottony maple leaf scale 4-35
 - Cottony maple scale 4-35
 - Euonymus scale 4-35, 4-54
 - European elm scale 4-35, 4-54
 - European fruit lecanium scale 4-35
 - Fern scale 4-55
 - Fletcher scale 4-35, 4-55
 - Florida red scale 4-35, 4-55
 - Florinia hemlock scale 4-35, 4-55
 - Forbes scale 4-35, 4-55
 - Gloomy scale 4-35, 4-55
 - Golden oak scale 4-35
 - Japanese scale 4-35, 4-56
 - Juniper scale 4-35, 4-56
 - Latania scale 4-35, 4-56
 - Lecanium scale 4-35, 4-36, 4-56
 - Magnolia scale 4-36, 4-56
 - Oak kermes 4-36, 4-56
 - Obscure scale 4-36, 4-57
 - Oystershell scale 4-36
 - Peony scale 4-57
 - Pine needle scale 4-36, 4-57
 - Pine tortoise scale 4-36, 4-57
 - Pystershell scale 4-57
 - Rose scale 4-36, 4-58
 - San Jose scale 4-36, 4-58
 - Tea scale 4-36, 4-58
 - Tuliptree scale 4-36, 4-58
 - Wax scale 4-36, 4-58
 - White peach scale 4-36, 4-59
 - Woolly pine scale 4-36
- Scale insects 3-8, 3-15, 3-22, 4-29, 4-31, 4-32, 4-33, 4-34, 4-53, 4-54, 4-55, 4-56, 4-57, 4-75
- Scales 1-9

- Scarlet O'Hara 3-2
- Schefflera* 4-66
- Scindapsus* 4-66
- Sclerotinia homoeocarpa* (Dollar spot) 5-2
- Sclerotinia root rot 4-9
- Sclerotinia stem rot 4-2
- Sclerotinia twig blight 4-5
- Seasonal needle drop 4-25
- Sea thrift (*Armeria*) 4-3
- Sedum* 4-83
- Seedcorn maggot 2-7, 2-8
- Seed rot 2-29, 2-30
- Seiridium canker 4-4, 4-5, 4-18
- Semi-dwarf trees 3-1
- Septoria leaf spot 2-31, 4-2, 4-10, 4-19
- Serviceberry (*Amelanchier*) 4-6, 4-15, 4-85, 4-86
- Sethoxydim 3-33, 3-34, 3-35, 3-36, 3-37, 3-38, 3-39, 4-80, 5-20, 5-23, 5-24
- Shallots 2-30
- Shampoos 7-3
- Shasta Daisy 4-82
- Shepherd's purse 3-29, 3-33, 4-89, 4-90, 4-92, 5-29
- Shooting 8-2, 8-5, 8-6
- Shothole borer 3-15
- Siduron 5-20, 5-32
- Silverbell (*Styrax*) 4-6
- Silverfish 6-16
- Simazine 3-30, 3-31, 3-32, 3-36, 3-37, 3-38, 5-20
- Sinningia (*Gloxinia*) 4-3
- Skeletonizers 4-59
- Skunks 8-2
- striped 8-5
- Slime flux 4-18, 4-21
- Slugs 4-33, 4-34, 4-59
- Small grains (Volunteer) 4-88, 4-89, 4-91
- Smartweed 3-29, 3-31, 3-33, 4-79, 4-89, 4-90, 4-92, 5-17, 5-29
- Smoke bush (*Cotinus*) 4-6
- Snails 4-59, 4-67, 4-75
- Snakes 4-59, 8-6
- Snap beans 2-34
- Snapdragon (*Antirrhinum*) 4-3, 4-34, 4-82
- Snapping turtles 8-6
- Snowball bush (*Viburnum*) 4-6
- Sod webworms 5-5, 5-8
- Soft rot 4-10
- Soil drench 4-69, 4-75
- Solomon seal (*Polygonatum*) 4-3
- Sooty blotch 3-7, 3-9, 3-10, 3-12, 3-13
- Sooty Mold 4-22
- Sourgum (*Nyssa*) 4-34, 4-85, 4-87
- Sourwood (*Oxydendrum arboreum*) 4-6, 4-85, 4-87
- Southern blight 2-31, 4-2, 4-3, 4-4, 4-5, 4-6, 4-9
- Southern Red Oak (*Quercus falcata*) 4-15
- Sowbugs 4-71, 6-16
- Sowthistle 4-89, 4-90, 4-92, 5-29
- Speedwell 5-29
- Speedwell (*Veronica*) 4-3
- Veronica* 4-89, 4-90, 4-92
- Speedwells 3-29, 3-31, 3-33
- Spider mite 2-7, 2-8, 2-11
- Spider mites 3-20, 4-32, 4-33, 4-34
- Spiders 6-3, 6-16
- Spiderwort (*Tradescantia virginica*) 4-3
- Spinosad 4-67
- Spinosan 2-3, 4-69
- Spiraea 4-6
- Spirea 4-34, 4-86, 4-87
- Spirea (Bluebeard), *Spirea* spp. 8-8
- Spittlebugs 3-20, 3-21, 4-59
- Spores 3-8, 3-9, 3-14, 3-17, 3-22
- Spot
- Brooks fruit spot 3-10, 3-12
- Brown spot 3-9, 3-14
- Spot anthracnose 4-4, 4-5, 4-6, 4-10, 4-20
- Spot, dollar 5-2
- Spot On Topical Treatments 7-4
- Spotted lanternfly 3-20, 4-60
- Spotted-wing drosophila 3-20, 3-21, 3-23, 3-24
- Sprayer 2-26, 2-34, 5-13, 5-14
- Spraying 3-4
- Spray injury 3-9, 4-31
- Sprays 7-2
- Springtails 4-71, 4-75
- Spruce 4-34, 4-84
- Colorado blue (*Picea pungens*) 8-8
- Norway (*P. abies*) 8-8
- White (*P. glauca*) 8-8
- Spruce (*Picea*) 4-6, 4-15, 4-26
- Spruce gall adelgid 4-37
- Spur blight 3-9, 3-24
- Spurge 5-17, 5-29
- Spurge (*Euphorbia*) 4-3
- Squash 2-30
- Squash bug 2-7, 2-17
- Squash vine borer 2-7, 2-15
- Stalk borers 4-33, 4-34

10-16 Index

Star-of-Bethlehem 5-29
Statice (*Limonium*) 4-3
St. Augustine grass 5-12
Stayman 3-8
Stem cankers 3-23
Stem gall 3-22
Stephanotis 4-34, 4-66
Stigmata needle cast 4-26
Stink bug 3-5
Stink Bugs 2-7, 2-8, 2-11
Stinkgrass 4-88, 4-89, 4-91
St Johnswort (*Hypericum*) 4-6
Stone crop (*Sedum*) 4-3
Stone fruits 3-6
Stored-food Pests 6-16
Strawberry 2-7, 3-20, 3-22, 3-27, 3-30, 3-32, 3-34, 5-29
Strawberry aphid 3-21
Strawberry clipper 2-21
Strawberry root aphid 3-21
Strawberry root weevil 3-22
Strawberry rootworm 3-20, 3-22
Strawberry rootworms 2-8, 2-21
Strawberry weevil 2-8, 3-22, 3-24
Strawflower (*Helichrysum*) 4-3
Streptomycin 3-12
Streptomycin sulfate 3-10, 3-12, 3-13, 4-17
Suckers 3-10, 3-35, 3-38
Sulfentrazone 5-20, 5-22, 5-24, 5-26, 5-30, 5-31
Sulfur 1-25, 1-36, 2-28, 2-29, 3-23, 4-65
 Sulfur dust 2-28
 Wettable sulfur 2-29
Summer annual grass 5-21, 5-23, 5-25
Summer patch (*Magnaporthe poae*) 5-3
Summer squash 2-30
Sunflower (*Helianthus*) 4-3, 4-82
Superior oil 3-12, 3-13, 3-16, 3-22
Sweet alyssum (*Lobularia*) 4-3
Sweet corn 2-8, 2-31
Sweetgum (*Liquidambar*) ... 4-6, 4-15, 4-26, 4-34, 4-85, 4-87
Sweetpea 4-34, 4-82
Sweet william 4-82
Sweet woodruff (*Galium*) 4-3
Swiss needle cast (*Phaeocryptopus*) 4-20
Sycamore (*Platanus*) 4-6, 4-15, 4-27, 4-34, 4-85, 4-87
Syngonium 4-66
Synthetic mulches 3-27
Syrphid fly larvae 2-5

T

Tall fescue 5-1, 5-11, 5-12, 5-19, 5-22, 5-28
Tarnished plant bug 2-8, 2-23, 3-16
Taxus (Yew) 4-34
Teasel 5-29
Temphos 6-3
Tenebrionis 2-3
Tent caterpillar 4-32, 4-33, 4-60
Termites 6-5
Thanksgiving cactus (*Schlumbergera*) 4-3
Thinning 3-1, 3-8, 3-12, 3-20, 3-24
Thiophanate methyl 4-16, 4-19
Thiram 1-36
Thistle 3-34, 5-16, 5-17, 5-29
 Bull thistle 3-30, 3-32, 3-34
 Canada thistle 4-88, 4-90, 4-91
 Curl thistle 3-30, 3-32, 3-34
 Musk thistle 3-30, 3-32, 3-34
 Sowthistle 4-89, 4-90, 4-92
Thousand cankers disease 4-27
Thrips 1-9, 2-3, 2-7, 2-8, 2-12, 4-32, 4-33, 4-34, 4-60, 4-69, 4-71, 4-72
Thylate 1-36
Thyme (*Thymus*) 4-6
Thyme oil 5-15
Ticks 6-4, 6-16, 7-1, 7-2, 7-4, 7-5
Tickseed (*Coreopsis*) 4-3
Tip moths 4-61
Tomato 2-8, 2-28
 Tomato russet mite 2-23
Tomato hornworm 2-22
Tomato russet mite 2-8
Toxic 1-7, 1-11, 1-12, 1-13, 1-25, 1-27
Toxicity 1-7, 1-13, 1-25
Tralomethrin 6-2
Trapping 8-2, 8-5
Treehoppers 4-33, 4-34, 4-61
Tree-of-heaven (*Ailanthus*) 4-6, 4-34
Trees, landscape 4-78
Tree squirrels 8-5
Triadimefon 1-36
Trichogramma wasps 4-70
Triclopyr 1-25, 5-21, 5-26, 5-30
Triflumizole 1-36
Trifluralin 4-78, 4-79, 5-21, 5-22
Trumpet vine (*Campsis*) 4-6
Tubakia leaf spot 4-24
Tulip (*Tulipa*) 4-3, 4-82

| | |
|--|-----------------------|
| Tulip tree (<i>Liriodendron</i>) | 4-6, 4-34, 4-85, 4-87 |
| Tupelo | 4-34 |
| Turnip greens | 2-34 |
| Turnips | 2-29 |
| Tussock moth | 4-46 |
| Twig blight | 3-9, 3-22, 3-23 |
| Twig die-back disease | 3-23 |
| Twig girdlers | 4-61 |
| Twig pruners | 4-61 |
| Two-spotted spider mite | 4-51 |

U

| | |
|---|-----|
| Umbrella tree (<i>Schefflera</i>) | 4-6 |
|---|-----|

V

| | |
|--|---|
| Vegetables | 1-11, 1-23, 2-31 |
| Velvetleaf | 3-29, 3-31, 3-33, 4-89, 4-90, 4-92 |
| <i>Veronica</i> (Speedwell) | 4-89, 4-90, 4-92 |
| Verticillium wilt | 2-31, 4-2, 4-3, 4-4, 4-5, 4-6, 4-15, 4-22 |
| Vervain (<i>Verbena</i>) | 4-3 |
| <i>Viburnum</i> | 8-9 |
| Viburnum | 4-86, 4-87 |
| <i>Vinca</i> (Periwinkle) | 4-34, 4-83 |
| Vine | 3-2, 3-17, 3-19 |
| Violet | 5-25, 5-29 |
| Viral | 4-10 |
| Virginia Administrative Code (VAC) | 8-1, 8-2 |
| Virginia creeper | 3-30, 3-32, 3-34, 4-31, 4-34, 4-36 |
| Virginia pepperweed | 3-29, 3-31, 3-33 |
| Virus | 3-21, 3-22, 3-23 |
| Viruses | 2-31 |
| Vitex | 4-86, 4-87 |
| Voles | 8-5 |
| Volutella blight | 4-10 |
| Vultures | 8-6 |

W

| | |
|---|--|
| Walnut (<i>Juglans</i>) | |
| Black walnut (<i>Juglans nigra</i>) | 4-27 |
| Walnut (<i>Juglans</i>) | 4-34, 4-85, 4-87 |
| Walnut twig beetle | 4-27 |
| Warm-season grasses... .. | 5-1, 5-2, 5-12, 5-14, 5-17, 5-19, 5-20, 5-22, 5-23, 5-25, 5-32 |
| Wasp | 6-16 |
| Parasitic wasp | 4-56, 4-57, 4-58 |
| Wasps | |
| Encarsia wasp | 2-5 |

| | |
|--|---|
| Trichogramma wasp | 2-5 |
| Water celery (<i>Oenanthe javanica</i>) | 4-3 |
| Waterfowl | 8-6 |
| Water lily (<i>Nelumbo</i>) | 4-3 |
| Watermelon | 2-31 |
| Water sprouts | 3-10 |
| Wax myrtle (<i>Myrica cerifera</i>) | 4-6 |
| Webworms | 4-61, 4-62 |
| Barberry webworm | 4-61 |
| Fall webworm | 4-45 |
| Juniper webworm | 4-62 |
| Mimosa webworm | 4-62 |
| Pine webworm | 4-62 |
| Weed control | 4-77, 4-78, 4-79 |
| Chemical control | 4-72, 4-78 |
| Weeds | 2-33, 3-5, 3-19, 3-25, 3-27, 3-28, 3-31, 3-34, 3-35, 3-36, 3-37, 3-38, 4-71, 4-78, 4-81 |
| Weeping fig (<i>Ficus benjamina</i>) | 4-6 |
| Weevils | 3-22, 4-32, 4-33, 4-34, 4-62, 4-63 |
| Black vine weevil | 4-62 |
| Pales weevil | 4-63 |
| Two-banded japanese weevil | 4-62 |
| White pine weevil | 4-63 |
| Weigela | 4-6, 4-34, 4-87 |
| Wettable powder 1-21, 1-22, 3-4, 3-6, 3-28, 4-30, 4-66, 4-73 | |
| Wettable sulfur | 2-29, 3-8, 3-23 |
| White clover | 5-13 |
| Whiteflies | 1-9, 2-3, 2-7, 2-20, 4-32, 4-63, 4-66, 4-69, 4-70, 4-71, 4-72, 4-75 |
| White flowered aster | 3-30, 3-32, 3-34 |
| White Grubs | 2-19 |
| White oak (<i>Quercus alba</i>) | 4-15, 4-36 |
| White Peach Scale | 4-59 |
| White rot | 3-9, 3-10 |
| Wild aster | 4-89, 4-90, 4-92 |
| Wild carrot | 3-30, 3-32, 3-34, 4-79, 4-89, 4-90, 4-92, 5-16, 5-17 |
| Wild chrysanthemum (<i>Artemisia</i>) | 4-79 |
| Wild garlic | 3-30, 3-32, 3-34, 5-16, 5-17 |
| Wild strawberry | 3-30, 3-32, 3-34 |
| Wild violets | 5-25 |
| Williams Pride | 3-2 |
| Willow (<i>Salix</i>) | 4-6, 4-15, 4-27, 4-34, 4-87 |
| Willow (Corkscrew) | 8-8 |
| Willow Oak (<i>Quercus phellos</i>) | 4-15 |
| Wintercreeper (<i>Euonymus fortunei</i>) | 8-9 |
| Wirestem muhly | 4-80 |
| Wisteria | 4-6, 4-34 |
| Witchhazel (<i>Hamamelis</i>) | 4-6, 4-34, 4-86, 4-87 |

10-18 Index

| | |
|------------------------------|-----------------|
| Woodchuck..... | 8-2 |
| Wood-destroying insects..... | 6-5 |
| Woodpeckers..... | 8-6 |
| Wood sorrel..... | 4-3, 5-25, 5-29 |
| Woolly aphid..... | 4-32, 4-33 |
| Worm | |
| Bagworm..... | 2-3 |

Y

| | |
|--|---|
| Yarrow..... | 5-29 |
| Yarrow, common..... | 3-30, 3-31, 3-34 |
| Yellow archangel..... | 4-4 |
| Yellowhorn (<i>Xanthoceras sorbifolium</i>)..... | 4-6 |
| Yellow nutsedge..... | 2-33, 3-29, 3-31, 3-33, 4-77, 4-78, 4-79, 4-81, 4-88, 4-89, 5-30 |
| Yellow rocket..... | 3-30, 3-32, 3-34, 5-29 |
| Yellow wood (<i>Cladastris</i>)..... | 4-6 |
| Yellow wood sorrel..... | 3-30, 3-32, 3-34 |
| Yellow Woodsorrel (<i>Oxalis</i>)..... | 4-89, 4-90, 4-92 |
| Yew (<i>Taxus</i>)..... | 4-6, 4-15, 4-34, 4-83, 4-84, 8-9 |
| Yucca..... | 4-6, 4-34, 4-83 |

Z

| | |
|---|------------------|
| Zelkova serrata (<i>Zelkova</i>)..... | 4-15, 4-86, 4-87 |
| Zimmerman pine moth..... | 4-35, 4-63 |
| Zineb..... | 1-36 |
| Zinnia..... | 4-4, 4-34, 4-82 |
| Zonate leaf spot..... | 4-10 |
| Zonate leaf spot (<i>Cristulariella</i>)..... | 4-4, 4-5 |
| Zoysiagrass..... | 5-1, 5-12 |

